

Bitbucket

[Browse all insights →](#)

Commits



Jeroen De Raedt committed **a3c4e02**
2016-12-22

Updated pipelines configuration file to support custom pipelines

 **2 of 2 passed** 



 **58e01af**

 **master**

 [View raw commit](#)

 [Stop watching](#)

 [Run pipeline](#)

Comments (0)




What do you want to say?

99

ARTICLE IN **BITBUCKET**

2 additional ways to trigger your builds in Pipelines

If you didn't hear it already, Bitbucket recently announced Pipelines which lets your team automate the integration and delivery process. Automation in software development is becoming increasingly important. Automation saves you time becaus...



ARTICLE IN **BITBUCKET**

Git Large File Storage (Git LFS) now in Bitbucket Cloud

In recent years software teams across all industries have adopted Git thanks to its raw speed, distributed nature and powerful workflows. Additionally, modern software teams are increasingly cross-functional and consist not only of developers but...

<code>git log</code>	Display the entire commit history using the default format. For customization see additional options.	<code>git merge <branch></code>	Merge <branch> into the current branch.
<code>git diff</code>	Show unstaged changes between your index and working directory.	Remote Repositories	
Undoing Changes			
<code>git reset HEAD</code>	Create new commit that undoes all of the changes made in <commit>, then apply it to the current branch.	<code>git remote add <name> <url></code>	Create a new connection to a remote repo. After adding a remote, you can use <name> as a shortcut for <url> in other commands.
<code>git reset --staged</code>	Remove <files> from the staging area, but leave the working directory unchanged. This unstages a file without overwriting any changes.	<code>git fetch <remote> <branch></code>	Fetches a specific <branch>, from the repo. Leave off <branch> to fetch all remote refs.
<code>git clean -n</code>	Show which files would be removed from working directory. Use the -f flag in place of the -n flag to execute the clean.	<code>git pull <remote></code>	Fetch the specified remote's copy of current branch and immediately merge it into the local copy.
		<code>git push <remote> <branch></code>	Push the branch to <remote>, along with necessary commits and objects. Creates named branch in the remote repo if it doesn't exist.



Visit atlassian.com/git for more information, training, and tutorials

Additional Options +

git config		git diff	
<code>git config --global user.name <name></code>	Define the author name to be used for all commits by the current user.	<code>git diff HEAD</code>	Show difference between working directory and last commit.
<code>git config --global user.email <email></code>	Define the author email to be used for all commits by the current user.	<code>git diff --cached</code>	Show difference between staged changes and last commit.
git alias		git reset	
<code>git alias --global <name> <command></code>	Create shortcut for a git command. E.g. <code>alias git log --graph --abbrev=40 --pretty=medium --graph --abbrev=40</code>	<code>git reset</code>	Reset staging area to match most recent commit, but leave the working directory unchanged.

Download our Git cheat sheet

The original post for this git cheat sheet lives here. New to Git? Our Git cheat sheet saves you time learning Git commands without having to memorize them all by heart. We've included the basic Git commands, Git branches, remote repositories, undoing...

Two-step verification users to access their Bitbucket account through apps such as Sousswords for you, and you won't need to remember them.



Created	Last accessed	
23 hours ago	23 hours ago	F
an hour ago		F
8 minutes ago		F



App passwords are here in Bitbucket Cloud

Keeping your code secure is crucial. That's why last year we added support for 2-factor authentication. However, only having native 2FA support limits you from accessing Bitbucket repositories via 3rd party applications. Today, we're excited to announce...

master

demo-repo / pdf / why-devs-heart-ci-a-guide-to-loving-continuous-integration.pdf

d19608c 2 hours ago

Full commit

View as PDF

Blame

Embed

Raw

Previous 1 / 36 Next

WHY DEVELOPERS

A GUIDE TO LOVING

CONTINUOUS INTEGRATION

99

ARTICLE IN BITBUCKET

File Viewer for Bitbucket: view files of different formats in Bitbucket

File Viewer for Bitbucket Cloud is the winner of the Codegeist 2015 Atlassian hackathon, in the category Best Bitbucket add-on. This guest post is written by Alexander Kuznetsov, one of the developers of File Viewer for Bitbucket Cloud and co...

Commits

All branches


Find commits

Author	Commit	Message	Date	Builds
Michael Fraue...	59c9075	Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium dolorem...	14 minutes ago	
Michael Fraue...	fa84556	Itaque earum rerum hic tenetur a sapiente delectus, ut aut reiciendis voluptatibus ...	an hour ago	
Mark Adams	732402d	Neque porro quisquam est, qui dolorem ipsum quia dolor sit amet, consectetur, adi...	2 hours ago	
Mark Adams	b277a0d	Nam libero tempore, cum soluta nobis est eligendi optio cumque nihil impedit quo ...	2 hours ago	
Mark Adams	649a004	Neque porro quisquam est, qui dolorem ipsum quia dolor sit amet, consectetur, adi...	2 hours ago	
Mark Adams	59995c5	Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt m...	2 hours ago	
Mark Adams	b170ce0	Nemo enim ipsam voluptatem quia voluptas sit aspernatur aut odit aut fugit, sed qu...	2 hours ago	
Mark Adams	9db5045	Ut enim ad minima veniam, quis nostrum exercitationem ullam corporis suscipit lab...	2 hours ago	
Brodie Rao	8ffe741	Itaque earum rerum hic tenetur a sapiente delectus, ut aut reiciendis voluptatibus ...	9 hours ago	
Zachary Davis...	156a5d7	Nam libero tempore, cum soluta nobis est eligendi optio cumque nihil impedit quo ...	11 hours ago	
Mark Adams	6344846	Nam libero tempore, cum soluta nobis est eligendi optio cumque nihil impedit quo ...	12 hours ago	
Mark Adams	7f1c927	Neque porro quisquam est, qui dolorem ipsum quia dolor sit amet, consectetur, adi...	13 hours ago	
Erik van Zijst [...]	2097b16	Quis autem vel eum iure reprehenderit qui in ea voluptate velit esse quam nihil mol...	15 hours ago	
Brodie Rao	9dc6174	Itaque earum rerum hic tenetur a sapiente delectus, ut aut reiciendis voluptatibus ...	15 hours ago	
Erik van Zijst [...]	264b0d1	Duis aute inure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat ...	15 hours ago	

99


Introducing the build status API for Bitbucket Cloud

Many of you have been asking for better support for continuous integration in Bitbucket Cloud. Every time you trigger a build, whether by pushing commits or creating a pull request, you have to log in to your build server to see if it passed or...



Two-step verification is here

Two-step verification (also known as two-factor authentication) is now available on Bitbucket. It's been one of our most requested features and we're excited to ship it. Two-step verification secures your account by requiring a second component, in...



ARTICLE IN **BITBUCKET**

Awesome Graphs for Bitbucket: visualized statistics for Git and Mercurial repositories

This guest post is written by Alexander Kuznetsov, co-founder of StiltSoft. Alexander has seven years of experience as a software developer, including five years in developing add-ons for Atlassian platforms. He's also the runner-up of 2012 Codegeis...

The figure shows the Bitbucket 'Settings' page for a repository. The left sidebar contains navigation links for GENERAL, INTEGRATIONS, PULL REQUESTS, ISSUES, and WIKI. The main content area is titled 'Webhooks' and 'Edit Webhook listener'. It includes a section for whitelisting IP ranges, a title field, a URL field, and a section for selecting triggers. The triggers section is divided into Repository, Issue, and Pull Request categories, each with a list of events to subscribe to.

Category	Event	Selected
Repository	Push	☒
	Fork	☐
	Commit comment created	☐
Issue	Created	☐
	Updated	☐
	Comment created	☐
Pull Request	Created	☒
	Updated	☐
	Approval removed	☐

The new Bitbucket webhooks

Bitbucket webhooks are used by teams every day to test, analyze, deploy, and distribute great software to millions of people. As Bitbucket webhooks are one of our most popular integration points, we've had the opportunity to gather lots of feedback...



Atlassian Connect for Bitbucket: A new way to extend your workflow in the cloud

More than 3 million developers and 450,000 teams use Bitbucket to manage and collaborate on source code. But code collaboration is only a fraction of what software teams do on a daily basis to ship software. Nowadays, shipping great software...

Circles bouncing off lines

circles-bouncing-off-lines.js

JavaScript

2 spaces

```

1  ;(function(exports) {
2
3      // The top-level functions that run the simulation
4      // -----
5
6      /**start()** creates the lines and circles and starts the simulation.
7      function start() {
8
9          // In index.html, there is a canvas tag that the game will be drawn in.
10         // Grab that canvas out of the DOM. From it, get the drawing
11         // context, an object that contains functions that allow drawing to the canvas.
12         var screen = document.getElementById('circles-bouncing-off-lines').getContext('2d');
13
14         // 'world' holds the current state of the world.
15         var world = {
16             circles: [],
17
18             // Set up the five lines.
19             lines: [
20                 makeLine({ x: 100, y: 100 }),
21                 makeLine({ x: 200, y: 100 }),
22                 makeLine({ x: 150, y: 150 }),
23                 makeLine({ x: 100, y: 200 }),
24                 makeLine({ x: 220, y: 200 }),
25             ],
26
27             dimensions: { x: screen.canvas.width, y: screen.canvas.height },
28
29             // 'timelinetickMade' is used in the periodic creation of new circles.

```

99

ARTICLE IN **BITBUCKET**

Snippets for teams are here with a rich set of APIs

Teams that use Bitbucket often want to share important information that isn't part of their project repository – favorite regexes, config files, code snippets, homebrew recipes (beers, and the package manager). And yes – image, audio, video, and a host o...

and new add-ons **BETA**

All categories

**Codeanywhere**

By Codeanywhere, Inc.

CLOUD IDE

Manage

Codeanywhere is a collaboration platform for developers. Enabling them to share their files, folders or entire development environments to collaborate together in realtime.

**Codio**

By Codio

CLOUD IDE

Install

Instant coding environments. Unlock student potential with access anywhere to unlimited project workspaces, in a cloud IDE with pre-configured stacks & coding environments.

99

Coding in the cloud with Bitbucket

We are proud to announce the integration of several popular cloud IDEs into the Bitbucket experience. You are already managing, building, and deploying your code to the cloud; you can now code in the cloud as well. Your personally-configured cloud ID...

commits/cb9e8ea352802e27d0b87bea38fda79ddbf45ee7

ged (1)

lore.txt

Side-by-side diff

```
-Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam eros ante,  
+LOREM ipsum dolor sit amet, consectetur adipiscing elit. Etiam eros ante,  
pulvinar id sem id, ultricies sollicitudin magna. In hac habitasse platea  
dictumst. Vestibulum tempus dolor ut scelerisque sollicitudin. Sed eu nisi  
convallis, malesuada purus ultricies, egestas dolor. Proin ut dictum lacus.  
-Vivamus justo magna, eleifend in lacinia eget, fermentum eu enim. Praesent  
+ Vivamus justo magna, eleifend in lacinia eget, fermentum eu enim. Praesent  
verra lectus ante, nec scelerisque dui fermentum in. Suspendisse nunc arcu,  
laoreet sed sollicitudin ac, tristique ut nisl. Vivamus dapibus ipsum a ligula  
dapibus auctor. In at pulvinar justo.
```

99

New year, new features

It's been a busy quarter for us at Bitbucket. As you may have noticed, Bitbucket is faster than ever, and even more reliable for our human users, cloning agents, and even for our robot friends who reach on behalf of CI systems and other integrations. We...

ARTICLE IN **BITBUCKET**


Repository size limits

In order to improve and maintain the overall performance for everyone who uses Bitbucket, we are rolling out size limits on newly-created repositories. Starting today, repository size limits will be: Soft limit of 1 GB – In-product and email notifications wil...

Pull requests

#4282 **OPEN** [mfrauenholtz/BB-10330-cred...](#) → [staging](#)[Merge](#) [Edit](#) [Decline](#) [Unapprove](#) 1**[BB-10330]** In App Payments form with address[Overview](#) [Commits](#) [Activity](#)Author  Michael FrauenholtzReviewers     

Description Maybe a WIP?

[3 related issues](#)[Stop watching](#)[Learn about pull requests](#)

Bitbucket now auto-updates pull requests

Starting today your pull requests will always have the most recent and relevant code, and your reviews will be more efficient. With automatic updates, pushing to a branch with an open pull request will automatically include those commits in the open pull...



About the blog
Company
Careers
Events
Investor relations
Atlassian Foundation
Press kit
Contact us

Products

Rovo

Jira

Jira Align

Jira Service Management

Confluence

Loom

Trello

Bitbucket

[See all products →](#)

Resources

Technical support

Purchasing & licensing

Atlassian Community

Team Playbook

Knowledge base

Marketplace

My account

Create support ticket →

Learn

Partners

Training & certification

Documentation

Developer resources

Enterprise services

See all resources →

Copyright 2026 Atlassian

Privacy policy

Terms

Impressum

English